AMENDMENT NO. 2 DECEMBER 2021

TO

IS 651 : 2007 GLAZED STONEWARE PIPES AND FITTINGS — SPECIFICATION

(Sixth Revision)

(*Page* 23, *clause* **D-3.3**, *line* 10) — Substitute '151 to 1 200' *for* '151 to 200'.

(*Page* 24, *Table* 13) — Substitute the following for the existing table:

Table 13 Sample Size and Criteria for Conformity

(*Clauses* D-2 *and* D-4.2)

Sl No.	Lot Size	Sample	Sample Size	Cumulative Sample Size	General Quality (*see* 5) and Dimensions (Sections A and B)	
					a_c	r_e
(1)	(2)	(3)	(4)	(5)	(6)	(7)
i)	Up to 150	First	20	20	1	4
		Second	20	40	4	5
ii)	151-280	First	32	32	2	5
		Second	32	64	6	7
iii)	281-500	First	50	50	3	7
		Second	50	100	8	9
iv)	501-1 200	First	80	80	5	9
		Second	80	160	12	13
v)	1 201-3 200	First	125	125	7	11
		Second	125	250	18	19
vi)	3 201-10 000	First	200	200	11	16
		Second	200	400	26	27

(CED 03)

Publication Unit, BIS, New Delhi, India